

# Preparing FP7 EU Proposals and Reports in L<sup>A</sup>T<sub>E</sub>X with `euproposal.cls`

Michael Kohlhase  
Computer Science, Jacobs University Bremen  
<http://kwarc.info/kohlhase>

April 15, 2016

## Abstract

The `euproposal` class supports many of the specific elements of a Framework 7 Proposal. It is optimized towards collaborative projects. The package comes with an extensive example (a fake EU proposal) that shows all elements in action.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>The User Interface</b>	<b>2</b>
2.1	Package Options . . . . .	2
2.2	Proposal Metadata and Title page . . . . .	2
2.3	Work Packages and Work Areas . . . . .	3
2.4	Milestones and Deliverables . . . . .	3
2.5	Risks . . . . .	3
2.6	Reporting Infrastructure . . . . .	3
<b>3</b>	<b>Limitations and Enhancements</b>	<b>3</b>
<b>4</b>	<b>The Implementation</b>	<b>5</b>
4.1	Package Options and Format Initialization . . . . .	5
4.2	Proposal Metadata and Title Page . . . . .	5
4.3	Site Descriptions . . . . .	7
4.4	Work Packages, Work Areas, and Deliverables . . . . .	8
4.5	Milestones and Deliverables . . . . .	8
4.6	Risks . . . . .	9
4.7	Relevant Papers . . . . .	10

# 1 Introduction

Writing grant proposals is a collaborative effort that requires the integration of contributions from many individuals. The use of an ASCII-based format like L<sup>A</sup>T<sub>E</sub>X allows to coordinate the process via a source code control system like SUBVERSION, allowing the proposal writing team to concentrate on the contents rather than the mechanics of wrangling with text fragments and revisions.

The `euproposal` class extends the `proposal` class [Koh15a] and supports many of the specific elements of Part B of a Framework 7 Proposal. The package documentation is still preliminary, fragmented and incomplete and only dwells on the particulars of DFG proposals, so we treat [Koh15a] as a prerequisite. Please consult the example proposal `propB.tex`, which comes with the package and shows the usage of the class in action. It is intended as a template for your proposal, but please bear in mind that the EU guidelines may change from call to call, if in doubt, please consult the FP7 guide for proposers.<sup>1</sup>

EdN:1

The `eureporting` class supports most of the specific elements of the project reports to the EC. The example report `dfg/report.tex` is intended as a template for your final report<sup>2</sup>.

EdN:2

The `euproposal` and `eureporting` classes and the `eupdata` package are distributed under the terms of the LaTeX Project Public License from CTAN archives in directory `macros/latex/base/lppl.txt`. Either version 1.0 or, at your option, any later version. The CTAN archive always contains the latest stable version, the development version can be found at <https://github.com/KWARC/LaTeX-proposal>. For bug reports please use the sTeX TRAC at <https://github.com/KWARC/LaTeX-proposal/issues>.

## 2 The User Interface

In this section we will describe the functionality offered by the `euproposal` class along the lines of the macros and environments the class provides. Much of the functionality can better be understood by studying the functional example `proposal.tex` (and its dependents) that comes with the `euproposal` package in conjunction with the proposer's EU proposer's guidelines (we have included it as `***` for convenience into the package distribution).<sup>3</sup>

EdN:3

### 2.1 Package Options

As usual in L<sup>A</sup>T<sub>E</sub>X, the package is loaded by `\documentclass[<options>]{euproposal}`, where [*<options>*] is optional and gives a comma separated list of options specified in [Koh15a]. Some versions EU proposals want non-standard numbering schemes (e.g. starting with `B...` since we are writing Part B.), this can be reached by giving the `propB` option.

### 2.2 Proposal Metadata and Title page

The metadata of the proposal is specified in the `proposal` environment, which also generates the title page and the first section of the proposal as well as the last pages of the proposal with the signatures, enclosures, and references. The `proposal` environment should contain all the mandatory parts of the proposal text. The `proposal` environment uses the following EU-specific keys to specify metadata.

`proposal`

- `callname` specifies the call the proposal addresses. It is usually a string of the form `ICT Call 1`, `callid` is the corresponding identifier, usually a string of the form `FP7-???-200?-?`. An overview over open calls can be found at <http://cordis.europa.eu/fp7/dc/index.cfm>
- The `challenge`, `objective`, and `outcome` keys specifies the specific parts in the call this proposal addresses. These are specified in the "call fiche" that can be obtained from the URL above. All of these have an identifier, which can be specified via the `challengeid`,

`callname`

`callid`

`challenge`

`objective`

`outcome`

`challengeid`

<sup>1</sup>EDNOTE: say something about the proposers guide.

<sup>2</sup>EDNOTE: say something about reporting

<sup>3</sup>EDNOTE: MK@MK do that and talk about reporting as well.

`objectiveid`      `objectiveid`, and `outcomeid` keys.<sup>4</sup>  
`outcomeid`      • `topicsaddressed` allows to enter free-form text instead of specifying the `challenge*`,  
EdN:4  
`topicsaddressed`      `objective*`, and `outcome*` keys.  
`coordinator`      • The `coordinator` key gives the identifier of the proposal coordinator. The `euproposal`  
package uses the `workaddress` package for representation of personal metadata, see [Koh15b]  
for details.  
`coordinatorsite`      • The `coordinatorsite` key gives the identifier of the coordinating site (for the table).  
`iconrowheight`      • If given, the `iconrowheight` key instructs the `euproposal` class to make a line with the  
logos of the participants at the bottom of the title page, and specify their heights; `1.5cm` is  
often a good value.

## 2.3 Work Packages and Work Areas

`type`      The `type` key specifies the activity type of the work package: `RTD` = Research and technological  
development (including any activities to prepare for the dissemination and/or exploitation of  
project results, and coordination activities); `DEM` = Demonstration; `MGT` = Management of the  
consortium; `OTHER` = Other specific activities, if applicable in this call.

## 2.4 Milestones and Deliverables

`verif`      `euproposal.cls` adds the `verif` key to for specifying a means of verification that the milestone  
`\milestone`      has been successful.

With this, we can generate the milestone table that is required in many EU proposals. This  
`\milestonetable`      can simply be done via the `\milestonetable` macro. It takes a keyword argument with the keys  
`caption`      `caption` for specifying a different caption, and the widths `wname`, `wdeliv`, and `wverif` that can  
`wname`      be used to specify different widths for the name/deliverables/verification columns in the milestone  
`wdeliv`      table.  
`wverif`

## 2.5 Risks

In some EU proposals (e.g. FET), we need to identify risks and contingency and specify mitigation  
plans for them. In the `euproposal` we use two environments to mark them up.

`risk`      `\begin{risk}{\langle title \rangle}{\langle prob \rangle}{\langle grav \rangle}... \end{risk}` makes a paragraph no a risk `\langle title \rangle`  
with gravity `\langle grav \rangle` and probability `\langle prob \rangle`, where the body of the environment contains a de-  
`riskcont`      scription of the risk. The `riskcont` is a variant, where `\langle title \rangle` names a risk and the body is a  
BNP:5      description of the contingency plan.

## 2.6 Reporting Infrastructure

The `eureporting` class gives an infrastructure for writing final reports of completed projects (see  
`report`      the file `finalreport.tex` in the package distribution). The `report` environment has functionality  
analogous to the `proposal` environment. It takes the same metadata keys — making it easy to  
`key`      generate by copy/paste from the proposal — but adds the keys `key` can be used to specify the  
reference key (something like `KO 2428 47-11`) given to the project by EU. Note that in the case  
of multiple proposers, you can use multiple instances of `key` to specify more than one reference  
ENP:5      key.

## 3 Limitations and Enhancements

The `euproposal` is relatively early in its development, and many enhancements are conceivable.  
We will list them here.

<sup>4</sup>EDNOTE: MK@MK: the `outcomeid` should key should be a list key, I am not implementing this right now, since it  
comes more natural when we change the class to metakeys support.

<sup>5</sup>NEW PART: MK@MK: This is new, and only partially implemented

1. none reported yet.

If you have other enhancements to propose or feel you can alleviate some limitation, please feel free to contact the author.

## 4 The Implementation

In this section we describe the implementation of the functionality of the `euproposal` and `eureporting` classes and the `eupdata` package.

### 4.1 Package Options and Format Initialization

We first set up the options for the package.

```
1 (*cls)
2 \newif\ifpartB\partBfalse
3 \DeclareOption{partB}{\partBtrue}
4 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{proposal}}
5 /cls
6 (reporting)\DeclareOption*{\PassOptionsToClass{\CurrentOption}{reporting}}
7 (cls | reporting)\ProcessOptions
```

Then we load the packages we make use of

```
8 (cls)\ifpartB\LoadClass[report,noRAM]{proposal}\else\LoadClass[noRAM]{proposal}\fi
9 (reporting)\LoadClass[report,noRAM]{reporting}
10 (*cls | reporting)
11 \RequirePackage{longtable}
12 \RequirePackage{eurosym}
13 \RequirePackage{wrapfig}
14 \RequirePackage{eupdata}
```

we want to change the numbering of figures and tables

```
15 \RequirePackage{chngcntr}
16 \counterwithin{figure}{subsection}
17 \counterwithin{table}{subsection}
18 /cls | reporting
```

### 4.2 Proposal Metadata and Title Page

We extend the metadata keys from the `proposal` class.

```
19 (*pdata)
20 \define@key{prop@gen}{coordinator}{\def\prop@gen@coordinator{#1}\pdata@def{prop}{gen}{coordinator}{#1}}
21 \define@key{prop@gen}{coordinatorsite}{\def\prop@gen@coordinatorsite{#1}\pdata@def{prop}{gen}{coordinator}{#1}}
22 \def\prop@gen@challenge{??}\def\prop@gen@challengeid{??}
23 \define@key{prop@gen}{challenge}{\def\prop@gen@challenge{#1}\pdata@def{prop}{gen}{challenge}{#1}}
24 \define@key{prop@gen}{challengeid}{\def\prop@gen@challengeid{#1}\pdata@def{prop}{gen}{challengeid}{#1}}
25 \def\prop@gen@objective{??}\def\prop@gen@objectiveid{??}
26 \define@key{prop@gen}{objective}{\def\prop@gen@objective{#1}\pdata@def{prop}{gen}{objective}{#1}}
27 \define@key{prop@gen}{objectiveid}{\def\prop@gen@objectiveid{#1}\pdata@def{prop}{gen}{objectiveid}{#1}}
28 \def\prop@gen@outcome{??}\def\prop@gen@outcomeid{??}
29 \define@key{prop@gen}{outcome}{\def\prop@gen@outcome{#1}\pdata@def{prop}{gen}{outcome}{#1}}
30 \define@key{prop@gen}{outcomeid}{\def\prop@gen@outcomeid{#1}\pdata@def{prop}{gen}{outcomeid}{#1}}
31 \define@key{prop@gen}{callname}{\def\prop@gen@call{#1}\pdata@def{prop}{gen}{callname}{#1}}
32 \define@key{prop@gen}{callid}{\def\prop@gen@call{#1}\pdata@def{prop}{gen}{callid}{#1}}
33 \define@key{prop@gen}{iconrowheight}{\def\prop@gen@iconrowheight{#1}}
34 \define@key{prop@gen}{topicsaddressed}{\def\prop@gen@topicsaddressed{#1}}
35 /pdata
```

and now the ones for the final report

```
36 (*reporting)
37 \define@key{prop@gen}{reportperiod}{\def\prop@gen@reportperiod{#1}}
38 \define@key{prop@gen}{key}{\@dmp{key=#1}%}
39 \@ifundefined{prop@gen@keys}{\xdef\prop@gen@keys{#1}}{\xdef\prop@gen@keys{\prop@gen@keys,#1}}
40 \define@key{prop@gen}{projpapers}{\def\prop@gen@projpapers{#1}}
41 /reporting
```

and the default values, these will be used, if the author does not specify something better.

If the propB option is given, we need to redefine some of the internal counters and table of contents mechanisms to adapt to the fact that the proposal text is just Part B.

```
42 (*cls)
43 \ifpartB
44 \def\thepart{\Alph{part}}
45 \setcounter{part}{2}
46 \def\thechapter{\thepart.\arabic{chapter}}
47 \def\numberline#1{\hb@xt@{\tempdima{#1}\hfil} }
48 \fi
```

\prop@sites@table

```
49 \newcommand\prop@sites@table{\def\@table{}
50 {\let\tabularnewline\relax\let\hline\relax
51 \@for\@I:=\prop@gen@sites\do{\xdef\@table{\@table\pdataref{site}\@I{number}}
52 \xdef\@table{\@table&\@nameuse{wa@institution@\@I @name}
53 \ifx\@I\prop@gen@coordinatorsite (coordinator)\fi}
54 \xdef\@table{\@table&\@nameuse{wa@institution@\@I @acronym}}
55 \xdef\@table{\@table&\@nameuse{wa@institution@\@I @countryshort}\tabularnewline\hline}}
56 \begin{tabular}{|l|p{8cm}|l|l|}\hline%
57 \# & Participant organisation name & Short name & Country\\\hline\hline
58 \@table
59 \end{tabular}}
```

prop@proposal

```
60 \renewenvironment{prop@proposal}
61 {\ifgrantagreement\else
62 \thispagestyle{empty}\begin{center}
63 {\Large \prop@gen@instrument}\\\ [.2cm]
64 {\Large\textbf{\prop@gen@callname}\\\ [.4cm]
65 {\LARGE \prop@gen@callid}\\\ [.8cm]
66 {\huge\textbf{\prop@gen@title}\\\ [.4cm]
67 {\LARGE Acronym: {\prop@gen@acronym}}\\\ [2cm]
68 \end{center}
69 %{\large\prop@gen@instrument}\\\
70 {\large\textbf{Date of Preparation: \today}}
71 % \ifsubmit\else\if@svninfo\if@gitinfo\\
72 % {\large\textbf{Revision}:
73 % \if@svninfo\svnInfoRevision\fi\if@gitinfo\gitAbbrevHash\fi
74 % of
75 % \if@svninfo\svnInfoDate\fi\if@gitinfo\gitAuthorDate\fi}
76 % \fi\fi\fi
77 \\ [1em]
78 \begin{large}
79 \begin{description}
80 % \item[Work program topics addressed by \pn:]
81 % \@ifundefined{prop@gen@topicsaddressed}
82 % {\textbf{Challenge \prop@gen@challengeid}: \prop@gen@challenge,
83 % \textbf{Objective \prop@gen@objectiveid}: \prop@gen@objective,
84 % \textbf{target outcome \prop@gen@outcomeid}) \prop@gen@outcome.
85 % {\prop@gen@topicsaddressed}\\\ [1em]
86 \item[Coordinator:] \wa@ref{person}\prop@gen@coordinator{name}
87 \item[e-mail:] \wa@ref{person}\prop@gen@coordinator{email}
88 \item[tel/fax:] \wa@ref{person}\prop@gen@coordinator{worktel}
89 \@ifundefined{prop@gen@keywords}{\item[Keywords:] \prop@gen@keywords}
90 \end{description}
91 \end{large}
92 \vspace*{1em}
```

```

93 \begin{center}
94 \prop@sites@table\vfill
95 \@ifundefined{prop@gen@iconrowheight}{
96 {\@for\@site:=\prop@gen@sites\do{\wa@institution@logo[height=\prop@gen@iconrowheight]\@site\quad}}
97 \end{center}
98 \newpage
99 \fi% ifgrantagreement
100 \setcounter{tocdepth}{2}\setcounter{part}{2}}
101 {\newpage\printbibliography[heading=warnpubs,maxnames=999]}

102 \def\prop@gen@instrument{Proposal Instrument (e.g. IP)}

```

### 4.3 Site Descriptions

EdN:6

6

site description

```

7 \begin{sitedescription}[\langle opt \rangle]{\meta{site}} marks up the description for the site \langle site \rangle.
It looks up the relevant metadata from the respective \WAinstitution declarations. The options
logo argument \langle opt \rangle is a key-value list for the keys logo (add the logo from \WAinstitution to the
width site description), width, height (intended dimensions of the logo), 8.
height

```

EdN:8

```

103 \define@key{site@desc}{box}[true]{\def\site@desc@box{#1}%
104 \pdata@def{sitedesc}{\@site}{box}{#1}}
105 \define@key{site@desc}{logo}[true]{\def\site@desc@logo{#1}%
106 \pdata@def{sitedesc}{\@site}{logo}{#1}}
107 \define@key{site@desc}{width}{\def\site@desc@width{#1}%
108 \pdata@def{sitedesc}{\@site}{width}{#1}\@dmp{wd=#1}}
109 \define@key{site@desc}{height}{\def\site@desc@height{#1}%
110 \pdata@def{sitedesc}{\@site}{height}{#1}\@dmp{ht=#1}}
111 \newenvironment{sitedescription}[2] []%
112 {\def\c@site{#2}% remember the site ID
113 \newcounter{site@#2@PM} % for the site PM
114 \def\site@desc@box{false}% not box unless requested
115 \def\site@desc@logo{false}% not logo unless requested
116 \def\site@desc@height{1.3cm}% default height
117 \def\site@desc@width{5cm}% default width
118 \setkeys{site@desc}{#1}% read the keys to overwrite the defaults
119 \ifx\@site@desc@box\@true% if we want a logo
120 \begin{wrapfigure}{r}{\site@desc@width}\vspace{-2.5ex}%
121 \begin{tabular}{|p{\site@desc@width}|}\hline\vspace{1mm}%
122 \ifx\@site@desc@logo\@true% if we want a logo
123 \wa@institution@logo[height=\site@desc@width]{#2}\[1ex]%
124 \fi% end logo
125 \textbf{\wa@ref{institution}{#2}{type}.\hfill \wa@ref{institution}{#2}{country}}\%
126 \small\wa@ref{institution}{#2}{streetaddress}, \wa@ref{institution}{#2}{townzip}\[1ex]\hline%
127 \end{tabular}\vspace{-2.5ex}%
128 \end{wrapfigure}%
129 \fi% end box
130 \pdata@target{site}{#2}%
131 {\subsubsection{\wa@ref{institution}{#2}{acronym}: % space here
132 {\textsc{\wa@ref{institution}{#2}{name}} (\wa@ref{institution}{#2}{countryshort})}}}%
133 \small%
134 \renewcommand\paragraph{\@startsection{paragraph}{4}{\z@}%
135 {0.25ex \@plus1ex \@minus.2ex}%
136 {-1em}%
137 {\normalfont\normalsize\bfseries}}

```

<sup>6</sup>EDNOTE: this functionality should probably be refactored into proposal.dtx

<sup>7</sup>EDNOTE: document this above

<sup>8</sup>EDNOTE: more?

```
138 {\pdata@def{site}{\c@site}{reqPM}{\csname thesite@\c@site @PM\endcsname}}
```

participant <sup>9</sup> \begin{picv}[(*PM*)]{\meta{name}} marks up the CV and metadata about a principal investigator of a site (it can only be use inside a `sitedescription` environment). The first argument `(PM)` specifies the involvement in person months: a fair estimation this PI will spend on this specific project over its whole duration. EdN:9

```
139 \define@key{site@part}{type}{\def\site@part@type{#1}\@dmp{type=#1}}
140 \define@key{site@part}{PM}{\def\site@part@PM{#1}\@dmp{PM=#1}}
141 \define@key{site@part}{salary}{\def\site@part@salary{#1}}{\@dmp{\euro=#1}}
142 \define@key{site@part}{gender}{\def\site@part@gender{#1}}{\@dmp{\euro=#1}}
143 \newenvironment{participant}[2] []%
144 {\def\site@part@type{}\def\site@part@PM{}\def\site@part@salary{}\def\site@part@gender}%
145 \setkeys{site@part}{#1}%
146 \ifx\site@part@PM@emptyelse\addtocounter{site@\c@site @PM}{\site@part@PM}\fi%
147 \paragraph*{#2\ %
148 (\ifx\site@part@type@empty\else\site@part@type\fi%
149 \ifx\site@part@gender@empty\else, \site@part@gender\fi%
150 \ifx\site@part@PM@empty\else, \site@part@PM~PM\fi%
151 )}%
152 \ignorespaces}
153 {\par\medskip}
```

## 4.4 Work Packages, Work Areas, and Deliverables

wp\*

```
154 \newmdenv[frametitle=Objectives]{wbjectives}
155 \newmdenv[frametitle=Description]{wpdescription}
```

workpackage

```
156 \renewenvironment{workpackage}[1] []
157 {\begin{work@package}[#1]\medskip\wpheadertable%
158 \addcontentsline{toc}{subsubsection}{\wp@label\wp@num: \pdataref{wp}\wp@id{title}}}
159 {\end{work@package}}
```

\wpheadertable

We redefine the macro that computes the default work package header table, since there are more sites in a EU proposal, we do this in a tabular form as asked for in the template. We use the internal counter `@sites@po` (sites plus one) for convenience.

```
160 \newcounter{@sites@po}\newcounter{@sites@pt}
161 \renewcommand\wpheadertable{%
162 \wp@sites@efforts@lines%
163 \setcounter{@sites@po}{\thewp@sites@num}\addtocounter{@sites@po}{1}%
164 \par\noindent\begin{tabular}{|l|*{\thewp@sites@num}{c|}c|}\hline%
165 \multicolumn{\the@sites@po}{|l|}{\textbf{\wp@mk@title{\wp@num}: }}%
166 \textsf{\pdata@target{wp}{\wp@id}{\pdataref{wp}\wp@id{title}}}}
167 &\textbf{Start: } \pdataref{wp}\wp@id{start} \\ \hline%
168 \wp@sites@line \\ \hline%
169 \wp@efforts@line \\ \hline%
170 \end{tabular}\smallskip\par\noindent\ignorespaces}
```

## 4.5 Milestones and Deliverables

wpdelivs We make the deliverables boxed in EU proposals, this is simple with `mdframed.sty`.

```
171 \surroundwithmdframed{wpdelivs}
```

\milestone

```
172 \define@key{milestone}{verif}{\gdef\mile@verif{#1}\pdata@def{mile}\mile@id{verif}{#1}}
```

<sup>9</sup>EDNOTE: document this above



```

milestonetable here we do the work.
173 \define@key{mst}{caption}{\gdef\mst@caption{#1}}
174 \define@key{mst}{wname}{\gdef\mst@wname{#1}}
175 \define@key{mst}{wdeliv}{\gdef\mst@wdeliv{#1}}
176 \define@key{mst}{wverif}{\gdef\mst@wverif{#1}}
177 \newcommand\milestonetable[1] [] {%
178 \def\mst@caption{Milestones, Deliverables, and Verification}%
179 \def\mst@wname{2.5cm}\def\mst@wdeliv{7cm}\def\mst@wverif{4cm}
180 \setkeys{mst}{#1}%
181 {\gdef\mst@lines{}}%initialize
182 \let\tabularnewline\relax\let\hline\relax% so they
183 \let\textbf\relax\let\emph\relax% do not bother us
184 \edef\@@miles{\pdataref{all}{mile}{ids}}
185 \@for\@I:=\@miles\do{
186 \edef\@delivs{\pdataref@safe{mile}{\@I}{delivs}}%
187 \def\@@delivs{
188 \@for\@J:=\@delivs\do{\xdef\@@delivs{\@@delivs\ \pdataref{deliv}{\@J{label}}}}
189 \def\@@line{
190 \textbf{\pdataref{mile}{\@I{label}}}&
191 \emph{\pdataref{mile}{\@I}{title}} &
192 \@@delivs&
193 \pdataref{mile}{\@I{month}} &
194 \pdataref{mile}{\@I{verif}}
195 \xdef\mst@lines{\mst@lines\@@line\tabularnewline\hline}}
196 \begin{table}[ht]
197 \begin{tabular}{|l|p{\mst@wname}|p{\mst@wdeliv}|l|p{\mst@wverif}|}\hline
198 \#\&\textbf{\miles@legend@name}
199 \&\textbf{\miles@legend@involved}
200 \&\textbf{\miles@legend@mo}
201 \&\textbf{\miles@legend@verif}\\ \hline\hline
202 \mst@lines
203 \end{tabular}
204 \caption{\mst@caption}\label{tab:milestonetable}
205 \end{table}
206 \footnotetext{\miles@legend@footnote}
now the multilinguality support
207 \newcommand\miles@legend@name{Name}
208 \newcommand\miles@legend@mo{Mo}
209 \newcommand\miles@legend@verif{Means of Verif.}
210 \newcommand\miles@legend@involved{WPs\footnotemark/Deliverables involved}
211 \newcommand\miles@legend@footnote{The work package number is the first number in the deliverable number.}

\prop@milesfor the due date is the first argument to facilitate sorting
212 \newcommand\prop@milesfor[1]{\edef\@delivs{\pdataref@safe{mile}{#1}{delivs}}%
213 \let\m@sep=\relax\def\new@sep{, }%
214 \@for\@I:=\@delivs\do{\m@sep\pdataRef{deliv}{\@I{label}}\let\m@sep=\new@sep}}

```

## 4.6 Risks

risk

```

215 \newenvironment{risk}[3]
216 {\paragraph{Risk: #1}\hfill\emph{probability}: #2, \emph{gravity}: #3\par\noindent\ignorespaces}
217 {}

```

riskcont

```

218 \newenvironment{riskcont}[3]
219 {\begin{risk}{#1}{#2}{#3}\textbf{Contingency:} }
220 {\end{risk}}

```

## 4.7 Relevant Papers

`\keypubs` <sup>10</sup>

EdN:10

```
221 \newcommand\keypubs[1]{%
222 \paragraph{Key publications relevant to the project}%
223 {\renewcommand{\baselinestretch}{.9}\prop@paperlist{#1}}}
224 \</cls>
```

---

<sup>10</sup>EDNOTE: MK: the `baselinestretch` manipulation does not work here, since `prop@paperslist` makes its own provisions. We should provide a way of manipulating sizes here.

## References

- [Koh15a] Michael Kohlhase. *Preparing Proposals in L<sup>A</sup>T<sub>E</sub>X with proposal.cls*. Self-documenting L<sup>A</sup>T<sub>E</sub>X package. 2015. URL: <http://github.com/KWARC/LaTeX-proposal/base/proposal.pdf>.
- [Koh15b] Michael Kohlhase. *workaddress.sty: An Infrastructure for marking up Dublin Core Metadata in L<sup>A</sup>T<sub>E</sub>X documents*. Self-documenting L<sup>A</sup>T<sub>E</sub>X package. Comprehensive T<sub>E</sub>X Archive Network (CTAN), 2015. URL: <http://mirror.ctan.org/macros/latex/contrib/stex/sty/workaddress/workaddress.pdf>.